CORRECTION Open Access



Correction: Human brucellosis and fever of unknown origin

Zhi-guo Wu¹⁺, Zhi-ying Song¹⁺, Wei-xin Wang³⁺, Wen-na Xi¹, Di Jin¹, Mao-xing Ai¹, Yu-chan Wu¹, Yu Lan¹, Shu-fen Song¹, Gong-chang Zhang¹, Xue-bing Yao¹, Zhen Gao¹, Cui-yun Liu¹, Ke Sun¹, Dong-shan Yu^{1*}, Bao-gang Xie^{1,2*} and Shui-lin Sun^{1*}

Correction: BMC Infectious Diseases (2022) 22:868 https://doi.org/10.1186/s12879-022-07872-8

Following publication of the original article [1], the authors identified an error in Table 1. The correct Table 1 is given in this correction.

The authors apologise for this error.

The original article [1] has been corrected.

Published online: 12 January 2023

Reference

 Wu ZG, Song ZY, Wang WX, Xi WN, Jin D, Ai MX, Wu YC, Lan Y, Song SF, Zhang GC, Yao XB, Gao Z, Liu CY, Sun K, Yu DS, Xie BG, Sun SL. Human brucellosis and fever of unknown origin. BMC Infect Dis. 2022;22:868. https://doi.org/10.1186/s12879-022-07872-8.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

[†]Zhi-guo Wu, Zhi-ying Song and Wei-xin Wang are co-first authors

The original article can be found online at https://doi.org/10.1186/s12879-022-07872-8.

*Correspondence: Dong-shan Yu jdyudongshan@hotmail.com Bao-gang Xie xiebaogang49@zjxu.edu.cn Shui-lin Sun sunshuilin2280@126.com



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

¹ Department of Infectious Diseases, The Second Affiliated Hospital of Nanchang University, Nanchang 330006, Jiangxi, China

² Department of Pharmaceutics, Medical College of Jiaxing University, Jiaxing 314001, China

³ Department of Infectious Diseases, The Second Affiliated Hospital of Yichun University, Yichun 336000, China

Wu et al. BMC Infectious Diseases (2023) 23:23 Page 2 of 2

Table 1 Clinical symptoms and laboratory examination in FUO and non-FUO groups

	FUO	Non-FUO	Р
Symptoms			
Fever	19 (100.00)	15 (93.75)	0.457
Fatigue	17 (89.47)	13 (81.25)	0.379
Arthralgia	16 (84.21)	8 (50.00)	0.065
Chills	11 (57.89)	6 (37.50)	0.315
Sweat	10 (52.63)	4 (25.00)	0.166
Complications			
Toxic hepatitis	17 (89.47)	8 (50.00)	0.022
Laboratory examination			
WBC	5.84±2.36	6.09±2.39	0.770
EO	0.15±0.28	0.79±1.30	0.074
HGB	117.53±17.21	119.75±14.69	0.687
CRP	34.82±19.04	41.75±31.66	0.430
ESR	37.63±22.59	39.73±15.84	0.792
False positive of Widar's	5 (35.71)	1 (9.09)	0.180
Misdiagnosis rate (%)	19 (100.00)	10 (62.50)	0.005
Misdiagnosed as tuberculosis and typhoid fever	9 (47.37)	2 (20.00)	0.234