CORRECTION Open Access

## Correction: Effect of COVID-19 on infections associated with medical devices in critical care



Fredy Leonardo Carreño Hernández<sup>1\*</sup>, Juanita Valencia Virguez<sup>2</sup>, Juan Felipe González Vesga<sup>2</sup>, María Lucía Castellanos<sup>2</sup>, Gabriela Ruiz Beltrán<sup>2</sup>, Laura Daniela Lorza Toquica<sup>2</sup>, Carol Natalia Sánchez Gomez<sup>2</sup>, Maria Valentina Stozitzky Ríos<sup>3</sup>, Yenny Rocío Cárdenas Bolívar<sup>4</sup> and Jorge Iván Alvarado Sanchez<sup>4,5</sup>

Correction: BMC Infectious Diseases 24, 110 (2024) https://doi.org/10.1186/s12879-023-08934-1

Following publication of the original article [1], we have been notified that Fig. 1 was published in Spanish instead of English.

The original article has been corrected.

Published online: 13 February 2024

## Reference

 Hernández, et al. Effect of COVID-19 on infections associated with medical devices in critical care. BMC Infectious Diseases. 2024;24:110. https://doi.org/10.1186/s12879-023-08934-1.

The original article can be found online at https://doi.org/10.1186/s12879-023-08934-1.

\*Correspondence:

Fredy Leonardo Carreño Hernández

fredyleonardoc@gmail.com

- <sup>1</sup> Facultad de Medicina Universidad de los Andes, Bogotá, Colombia
- <sup>2</sup> Universidad de los Andes, Bogotá, Colombia
- <sup>3</sup> Fundación Santa Fe de Bogotá, Bogotá, Colombia
- <sup>4</sup> Fundación Santa Fe de Bogotá, Bogotá, Colombia
- <sup>5</sup> Universidad Nacional de Colombia, Bogotá, Colombia



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and the use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativeccommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.