POSTER PRESENTATION



Open Access

Evaluation of HIV-1 polymerase chain reaction (PCR) technique using dried blood spots (DBS) for diagnosis of perinatal transmission of HIV

Saraswati Rajendran^{1*}, John Kenneth², Anita Shet²

From First International Science Symposium on HIV and Infectious Diseases (HIV SCIENCE 2012) Chennai, India. 20-22 January 2012

Background

Effective health care delivery to the majority of perinatally exposed infants is hampered by lack of access to accurate HIV diagnosis in infancy. Polymerase chain reaction is the most sensitive test to diagnose HIV-1 infection in children born to HIV seropositive mothers. The purpose of this study was to assess the feasibility and accuracy of using dried blood spot (DBS) technology in performing HIV-1 DNA PCR using Roche Amplicor HIV-1 DNA PCR version 1.5 for diagnosis in children less than 18 months of age.

Materials and methods

This was a prospective observational study. 41 newborn infants of HIV-infected mothers were recruited and in addition 24 HIV-infected mothers, served as positive controls. DNA was extracted from filter paper using chelex resin and amplified using Roche Amplicor HIV-1 DNA PCR test. Sensitivity and specificity of the DBS PCR analysis was analyzed by comparing it with the results of PBMC's (peripheral blood mononuclear cells).

Results

Out of 66 DBS samples tested, 31 were positive, 35 negative and there was no indeterminate result. Whereas using PBMC, 32 samples were positive, 34 negative and 4 samples which were indeterminate initially were negative on repeat testing. All mothers were positive by both from DBS and PBMC's. Overall sensitivity and specificity of DBS using Roche Amplicor DNA PCR was 97% and 100% respectively.

* Correspondence: drrsaras@gmail.com

¹Chettinad Hospital and Research Institute, Chennai, India

Full list of author information is available at the end of the article

Conclusion

PCR performed using DNA extracted from filter paper using chelex method is simple, sensitive and specific and can be used in resource limited settings.

Author details

¹Chettinad Hospital and Research Institute, Chennai, India. ²St John's Research Institute, Bengaluru, India.

Published: 4 May 2012

doi:10.1186/1471-2334-12-S1-P46 Cite this article as: Rajendran *et al*.: Evaluation of HIV-1 polymerase chain reaction (PCR) technique using dried blood spots (DBS) for diagnosis of perinatal transmission of HIV. *BMC Infectious Diseases* 2012 12(Suppl 1):P46.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

) BioMed Central

Submit your manuscript at www.biomedcentral.com/submit



© 2012 Rajendran et al; licensee BioMed Central Ltd. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.